


Domain Cabinets Direct

How to assemble a "Lazy Susan" RTA base cabinet

For some, cabinet assembly may seem to be a bit scary and if you haven't done it before you will probably assume that it is very complicated. However, that is not the case. The manufacturers of our cabinets are well aware of the need to speed up the installation process and, for that reason, have designed our cabinets to be easy to assemble. After all, no one can install a cabinet until it is assembled. In order to assemble a cabinet from Domain Cabinets Direct there are three easy steps to read before you start.



Initial Step 1. First, be sure you have an adequate work surface. The best surface is elevated such as a workbench. However, many choose to assemble their cabinets on the garage floor or in an area near the place that the cabinets are to be assembled. Wherever you choose, be sure that the work surface is covered with a non-marring material, such as an inexpensive piece of carpet or carpet remnant.

Initial Step 2. The second step is to be sure that you have the right tools. You will need,

- a) a #2 flat and Phillips screw driver
- b) a cordless screwdriver (drill motor) and bit tip holder and # 2 Phillips tips.
- c) a few clean shop rags
- d) good fitting gloves
- e) safety glasses
- f) a tape measure
- g) and a bottle of carpenter's glue



That's pretty much it. (Print and take this list with you to the hardware store). Lastly, it might be helpful to get an extra pair of hands to hold an edge or to hand you a tool. We recommend someone you get along with!

Initial Step 3. The third is to be familiar with all the cabinet parts. We recommend that you start building with a simple and small wall cabinet and then move to a base cabinet. After gaining some experience you will be ready to build a lazy Susan. There is a very quick learning curve to building a cabinet, and if you start small you will learn the basics before going on to tackle the more complicated ones. Additionally, it is better to build one very slowly until you get good at it. So, if you have already built a few wall cabinets and a few base cabinets you are ready to move forward.

A typical Lazy Susan base cabinet takes a pro- about 15- 30 minutes. If it is your first one, take a little more time to assemble it and make the first one a pleasant and calm experience.

Step 1. Gloves and safety glasses on.
Lay out your tools near to you .

Box cutters can damage the wood.

Step 2. Open the box, if you use a box cutter be careful not to cut into the cabinet.

Step 3. Lay out the center support frame onto the non-marring work surface (fig 3).

Be sure to work on a non-marring surface so you won't scratch

(fig 3)



Lay out the center support frame

Step 4. Place the set pins into one side of the center support frame (fig 3A) and place a light bead of glue around where the pieces will join together. *Note: installation contractors leave out the glue step.

Do not over tighten screws!

(fig 3A)



Place set pins into one side of the center frame


Step 5. Attach side 1 (fig 3B). Lock set pins (fig 3C). Place toe kick 1 (fig 3D). Set aside finished section 1 (fig 3E)

(fig 3B)

(fig 3C)


(fig 3D)

(fig 3E)



Attach side, attach toe kick and set aside section 1

Step 6. Place set pins into face frame (fig 3F). Set side 2 (fig 3G).Set toe kick 2 into side 2 (fig 3H).



Place set pins side 2, set side 2, attach toe kick 2

Step 7. Set pins into the other side of the center frame (fig 3I). Bring over Section 2 (fig 3J). Attach section 2 with section 1 (fig 3K). Connect toe kicks together (fig 3L).



Join sections 1 and 2

Step 8. Set pins into side 2 section 2 (fig 3M). Set back 1 into side 2 (fig 3N). Lock back 1 into side 2 (fig 3O). Screw center frame to back 1 (fig 3P).



Attach back 1

Step 9. Place bottom Lazy Susan (fig 3Q). Fill remaining screw holes in bottom lazy Susan. (fig 3R).




Place bottom lazy Susan

Step 10. Place remaining set pins into side 1 (fig 3S). Place back 2 into side 1 and side 2 (fig 3T). Lock back 2 into place (fig 3U).



Attach back 2

Step 11. Place top lazy Susan (figure 3V). Fill remaining screw holes in top lazy Susan (fig 3W)



Place top lazy Susan

And that's it!



Whether you are building a wall cabinet, base cabinet, or lazy Susan the procedure is much the same. Now that you have built a lazy Susan you should be able to build any RTA cabinet. Congratulations! Remember be safe, slow, and clean! We hope you have a fun time assembling your RTA cabinets.